

MYTON series

A new series of MYTON are here

Highly durable and Easy to operate

MYTON series

Grinding and Sanding MYTON series



Grinding

MYTON GRINDER

NEW



58 mm
133
67

YouTube

[Compact and lightweight]

Model MYG-25L 

• Lever switch type

For Grinding Wheel 58 mm
Compact and lightweight type



4 inches
224
90

YouTube

[For medium grinding]

Model MG-40 

• Lever switch type

For Grinding Wheel 100 mm
Standard type



4 inches
215
90

[For medium grinding]

Model MG-40 Non-CE

• Ring switch type

For Grinding Wheel 100 mm
Standard type

NEW



4 inches
224
85

YouTube

[For medium grinding]

Model MYG-40L 

• Lever switch type

For Grinding Wheel 100 mm
Compact and powerful type

Specifications

Model	MYG-25L	MG-40 Lever Type	MG-40 Ring Type	MYG-40L
Air Pressure MPa (kgf/cm ²)		0.6 (6)		
Air Consumption m ³ /min	0.39 (No-load)	0.50 (No-load)		0.54 (No-load) 0.75 (Load)
Free Speed min ⁻¹ (rpm)	19000	13000		
Depressed Center Grinding Wheel Outer Diameter mm	58	100		
Air Inlet Size	Rc 1/4	Rc 3/8	Rc 1/4	Rc 3/8
Mass (Weight) kg	0.6	1.6	1.4	1.55
Accessories Included	• 5 mm Hex. Socket Screw Key • Spanner 19 • Grinding Wheel GS #80 x 58 • Bushing R 1/4 x NPT 1/4	• 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Spanner 19 • Bushing R 3/8 x NPT 3/8	• 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Spanner 19 • Bushing R 3/8 x NPT 3/8	• 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8

*Included accessories may vary by country.



5 inches
270
101

YouTube

[For heavy grinding]

Model MYG-50 

• Lever switch type
• With anti-vibration handle

For Grinding Wheel 125 mm
Heavy grinding type



7 inches
270
103

[For heavy grinding]

Model MYG-70 

• Lever switch type

For Grinding Wheel 180 mm
Heavy grinding type



7 inches
238
103

[For heavy grinding]

Model MYG-70 Non-CE

• Ring switch type

For Grinding Wheel 180 mm
Heavy grinding type

Specifications

Model	MYG-50	MYG-70 Lever Type	MYG-70 Ring Type
Air Pressure MPa (kgf/cm ²)		0.6 (6)	
Air Consumption m ³ /min	0.75 (No-load)	0.70 (No-load) 0.95 (Load)	
Free Speed min ⁻¹ (rpm)	11000	7600	
Depressed Center Grinding Wheel Outer Diameter mm	125	180	
Air Inlet Size		Rc 3/8	
Mass (Weight) kg		2.5 (with handle)	2.4 (with handle)
Accessories Included	• Handle (anti-vibration type) • 4 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8 • Pin Face Wrench	• Handle • 6 mm Hex. Socket Screw Key • 10 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8	• Handle • 6 mm Hex. Socket Screw Key • 10 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8

*Included accessories may vary by country.

Sanding

MYTON SANDER



[Compact and lightweight]

Model **MYS-20L**

• Lever switch type

For Abrasive Discs 1", 1-1/2" and 2"

Compact and lightweight type



[For light sanding]

Model **MYS-40**

• Lever switch type

For Abrasive Disc 100 mm

Light sanding type



[For medium sanding]

Model **MYS-70** Non-CE

• Ring switch type
• Japanese model

For Abrasive Disc 180 mm


Medium sanding type

Specifications

Model	MYS-20L	MYS-40	MYS-70
Air Pressure MPa (kgf/cm ²)		0.6 (6)	
Air Consumption m ³ /min	0.39 (No-load)	0.45 (No-load)	0.90 (No-load)
Free Speed min ⁻¹ (rpm)	19000	13700	7600
Abrasive Disc Outer Diameter	25 mm (1"), 38 mm (1-1/2") or 50 mm (2")	100 mm	180 mm
Air Inlet Size	Rc 1/4		
Mass (Weight) kg	0.6	1.1	2.4
Accessories Included	• 2 pieces of 14 mm Single Ended Spanner • Bushing R 1/4 x NPT 1/4 • 1" Disc Sanding Pad • 1-1/2" Disc Sanding Pad • 2" Disc Sanding Pad • Assortment of Sample Abrasive Discs Contains: 2 each of #60, #80, #100 and #120 1" Abrasive Disc 2 each of #60, #80, #100 and #120 1-1/2" Abrasive Disc 2 each of #60, #80, #100 and #120 2" Abrasive Disc	• 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 1/4 x NPT 1/4	• Handle • 41 mm Single Ended Spanner • 10 mm Hex. Socket Screw Key

Features

- New high durability motor
- Improved workpiece visibility due to low head design
- Grinding wheel 105 mm is available for high productivity



*1) Except MG-40, MYG-50, MYG-70 and MYS-70

*2) Except MYG-25L, MG-40, MYS-20L and MYS-70



Applicable Grinding Wheel (commercially available)

Model	Outer Diameter	Hole Diameter	Thickness
MYG-25L	Applicable to our Grinding Wheels only		
MG-40	100 mm	16 mm	3 to 6 mm
MYG-40L	100 mm	16 mm	3 to 6 mm
MYG-50	125 mm	22.2 mm	6 mm
MYG-70	180 mm	22.2 mm	6 or 8 mm

Grinding Wheels for MYTON MYG-25L

PN	Description	Sales Unit	Appearance
TB11078	GS#46 x 58 mm	5 pcs./set	
TB11079	GS#60 x 58 mm	5 pcs./set	
TB11077	GS#80 x 58 mm	10 pcs./set	
TB11080	GS#100 x 58 mm	5 pcs./set	
TB11081	GS#120 x 58 mm	5 pcs./set	

Flap Discs for MYTON MYG-25L

PN	Description	Sales Unit	Appearance
TB11229	MYTON DISC Z Z#40 x 58	5 pcs./set	
TB11230	MYTON DISC Z Z#60 x 58		
TB11231	MYTON DISC Z Z#80 x 58		
TB11232	MYTON DISC Z Z#100 x 58		
TB11233	MYTON DISC Z Z#120 x 58		
TB11234	MYTON DISC SAA#40 x 58	5 pcs./set	
TB11235	MYTON DISC SAA#60 x 58		
TB11236	MYTON DISC SAA#80 x 58		
TB11237	MYTON DISC SAA#100 x 58		
TB11238	MYTON DISC SAA#120 x 58		

*Please use commercially available consumables for MYG-40L/MYG-70.

Abrasive Discs and Disc Pads for MYTON MYS-20L

PN	Description	Sales Unit	Abrasive Disc	Disc Pad	Sales Unit
TB10986	Abrasive Disc 1" x #40	25 pcs./set		TQ14384 1" Disc Sanding Pad 	1 piece
TB10987	Abrasive Disc 1" x #60				
TB10988	Abrasive Disc 1" x #80				
TB10989	Abrasive Disc 1" x #100				
TB10990	Abrasive Disc 1" x #120				
TB10991	Abrasive Disc 1" x #180				
TB10992	Abrasive Disc 1" x #240				
TB10993	Abrasive Disc 1" x #320				
TB10994	Abrasive Disc 1-1/2" x #40	25 pcs./set		TQ14383 1-1/2" Disc Sanding Pad 	1 piece
TB10995	Abrasive Disc 1-1/2" x #60				
TB10996	Abrasive Disc 1-1/2" x #80				
TB10997	Abrasive Disc 1-1/2" x #100				
TB10998	Abrasive Disc 1-1/2" x #120				
TB10999	Abrasive Disc 1-1/2" x #180				
TB11000	Abrasive Disc 1-1/2" x #240				
TB11001	Abrasive Disc 1-1/2" x #320				
TB11002	Abrasive Disc 2" x #40	25 pcs./set		TQ14382 2" Disc Sanding Pad 	1 piece
TB11003	Abrasive Disc 2" x #60				
TB11004	Abrasive Disc 2" x #80				
TB11005	Abrasive Disc 2" x #100				
TB11006	Abrasive Disc 2" x #120				
TB11007	Abrasive Disc 2" x #180				
TB11008	Abrasive Disc 2" x #240				
TB11009	Abrasive Disc 2" x #320				

*Please use commercially available consumables for MYS-40/MYS-70.

Optional Accessories

Ref. No.	PN	Description	Sales Unit	Remarks
1 *	TB08265	Handle Ass'y	1 set	Standard accessory of MYG-70
2 *	TB09680	Side Handle Ass'y (anti-vibration type)	1 set	Standard accessory of MYG-50
3	TA90078	Rubber Pad Ass'y	1 piece	For MYS-40

*Handle Ass'y and Side Handle Ass'y can be used on MYG-40L, MG-40 and MYG-70.



NITTO KOHKI CO., LTD.

Web www.nitto-kohki.co.jp/e/

Head Office

9-4, Nakaikagami 2-chome, Ohta-ku, Tokyo 146-8555, Japan
Tel : +81-3-3755-1111 Fax : +81-3-3753-8791
E-mail : overseas@nitto-kohki.co.jp



DISTRIBUTED BY